


XLII INTERNATIONAL SCIENTIFIC CONFERENCE
ON INFORMATION, COMMUNICATION AND
ENERGY SYSTEMS AND TECHNOLOGIES

XLII INTERNATIONAL SCIENTIFIC CONFERENCE
ON INFORMATION, COMMUNICATION AND
ENERGY SYSTEMS AND TECHNOLOGIES

XLII INTERNATIONAL SCIENTIFIC CONFERENCE
ON INFORMATION, COMMUNICATION AND
ENERGY SYSTEMS AND TECHNOLOGIES



**XLII INTERNATIONAL SCIENTIFIC CONFERENCE
ON INFORMATION, COMMUNICATION AND
ENERGY SYSTEMS AND TECHNOLOGIES**




IEEE

ICEST 2007




**Proceedings of Papers
Volume 2**



**24 - 27 June, 2007
Hotel Granit, Ohrid, Macedonia**

**XLII INTERNATIONAL SCIENTIFIC CONFERENCE
ON INFORMATION, COMMUNICATION AND
ENERGY SYSTEMS AND TECHNOLOGIES**



IEEE

ICEST

2007



Proceedings of Papers

Volume 2

Bitola, 2007

XLII INTERNATIONAL SCIENTIFIC CONFERENCE ON INFORMATION, COMMUNICATION
AND ENERGY SYSTEMS AND TECHNOLOGIES

-ICEST 2007-

Proceedings of Papers – Volume 2 of 2 volumes

Editor: Prof. Dr. Cvetko Mitrovski
Technical Editor: Pargovski Jove
Published by: Faculty of Technical Sciences - Bitola
Printed by: Mikena - Bitola
Total print run: 200

ISBN: 9989 - 786 - 06 - 2

CIP - Каталогизација во публикација
Матична и универзитетска библиотека
"Св. Климент Охридски", Битола

621 . 391 : 004 (063) (082)
007 . 52 (063) (082)
004 . 738 . 52 : 004 . 89 (063) (082)
621 . 397 . 3 : 004 (063) (082)
621 . 396 . 67 (063) (082)

INTERNATIONAL Scientific Conference on Information, Communication and Energy Systems and Technologies
(42 ; 2007 ; Bitola)

ICEST 2007: proceedings of papers / XLII International Scientific Conference on Information, Communication and
Energy Systems and Technologies ; [Editor Cvetko Mitrovski]. - Bitola : Faculty of Technical Sciences, 2007. - 2
св. (XVI , 430 ; XVI, стр. 431 - 860) : илустр. ; 28 см

Фусноти кон текстот. - Библиографија кон трудовите. - Регистри

ISBN 9989 - 786 - 06 - 2

1. Gl. stv. nasl. 2. Mitrovski, Cvetko

а) Електроенергетски системи - Мониторинг - Анализи - Зборници б) Телекомуникациска техника - Сигнали
- Анализи - Зборници в) Автоматски системи - Интелигентни системи - Зборници г) Компјутерски системи -
Системи за менаџмент на бази на податоци - Интернет технологии - Зборници - д) Индустриска електроника
- Контролни системи - Конвертери - Зборници

COBISS.MK - ID 18020161

TABLE OF CONTENTS

VOLUME 2

MEDICAL SYSTEMS

| | | |
|----------------|---|------------|
| MED.S.1 | BCI Mental Tasks Patterns Determination | 451 |
| | P. K. Manoilov University of Rousse, Bulgaria | |
| MED.S.2 | An Investigation on Signals in Magnetocardiography | 455 |
| | D. Tz. Dimitrov Technical University of Sofia, Bulgaria | |
| MED.S.3 | A Stimulation of Neural Tissue by Pulse Magnetic Signals | 459 |
| | D. Tz. Dimitrov Technical University of Sofia, Bulgaria | |
| MED.S.4 | Eye-Blinking Artefacts' Duration Analysis | 463 |
| | P. K. Manoilov University of Rousse, Bulgaria | |
| MED.S.5 | The Web Side System for Registration and Processing Medical Data of Urological Department Patients | 467 |
| | J. Makal, J. Bilkiewicz and A. Nazarkiewicz* Technical University (BTU), Bialystok, Poland *Provincial Integrated Hospital, Bialystok, Poland | |
| MED.S.6 | Laboratory Stand in Web Browser for Measurements on Distance | 469 |
| | J. Makal, A. Idzkowski and A. Krasowski Technical University (BTU), Bialystok, Poland | |
| MED.S.7 | Electronic Identification and Patient Parameters Monitoring | 471 |
| | S. Randić, A. Peulić, A. Dostanić and M. Acović Technical Faculty, Sv. Save, Čačak, Serbia | |

SIGNAL PROCESSING II

| | | |
|----------------|---|------------|
| SP II.1 | Comparative Analysis of Basic Self-Organizing Map and Neocognitron for Handwritten Character Recognition | 477 |
| | I. R. Draganov and A. A. Popova Technical University of Sofia, Bulgaria | |
| SP II.2 | Comparative Analysis of Integral Calculus Algorithms in Magnetic Signals Evaluation | 481 |
| | V. Dimitrova Technical University of Sofia, Bulgaria | |
| SP II.3 | Investigation of Maximally Flat Fractional Delay All-pass Digital Filters | 483 |
| | K. S. Ivanova and G. K. Stoyanov Technical University of Sofia, Bulgaria | |
| SP II.4 | A Unification of Determined and Probabilistic Methods in Pattern Recognition | 487 |
| | G. Kunev, G. Varbanov and C. Nenov Technical University of Varna, Bulgaria | |
| SP II.5 | Complex Input Signal Quantization Noise Analysis for Orthogonal Second-Order IIR Digital Filter Sections | 491 |
| | Z. Nikolova Technical University of Sofia, Bulgaria | |
| SP II.6 | Speech Overlap Detection Algorithms Simulation | 495 |
| | S. Pleshkova-Bekiarska and D. Damyanov Technical University of Sofia, Bulgaria | |
| SP II.7 | FPGA Implementation of the 2D-DCT/IDCT for the Motion Picture Compression | 499 |
| | R. J.R. Struharik and I. Mezei Faculty of Technical Sciences, Novi Sad, Serbia | |
| SP II.8 | Minutiae-based Algorithm for Automatic Fingerprint Identification | 503 |
| | E. H. Mulalić, S. S. Cvetković and S. V. Nikolić University of Niš, Serbia | |

| | | |
|-----------------|--|------------|
| SP II.9 | Performances of The Exponential Sinusoidal Audio Model | 507 |
| | Z. N. Milivojević, P. Rajković and S. M. Milivojević* | |
| | University of Niš, Serbia | |
| | *Technical Faculty, Cacak, Serbia | |
| SP II.10 | Non-uniform Thresholds for Removal of Signal-Dependent Noise in Wavelet Domain..... | 511 |
| | M. Kostov, C. Mitrovski and M. Bogdanov* | |
| | University of Bitola, Macedonia | |
| | *University of Skopje, Macedonia | |

COMPUTER SYSTEMS AND INTERNET TECHNOLOGIES IV

| | | |
|------------------|---|------------|
| CSIT IV.1 | GUI to Web Transcoding..... | 517 |
| | Ts. Filev, J. Pankov and I. Pankov | |
| | Technical University of Sofia, Bulgaria | |
| CSIT IV.2 | Classification of Classifiers..... | 521 |
| | G. Gluhchev, M. Savov and O. Boumbarov* | |
| | Bulgarian Academy of Sciences | |
| | *Technical University of Sofia, Bulgaria | |
| CSIT IV.3 | Methods of Graphic Representation of Curves in CAD systems in Knitting Industry..... | 523 |
| | E. Iv. Zaharieva-Stoyanova | |
| | Technical University of Gabrovo, Bulgaria | |
| CSIT IV.4 | Cognitive Model Extension for HCI..... | 527 |
| | N. D. Đorđević and D. D. Rančić | |
| | University of Niš, Serbia | |
| CSIT IV.5 | Performance Analysis of a Suboptimal Multiuser Detection Algorithm..... | 531 |
| | I. G. Iliev and M. Nedelchev | |
| | Technical University of Sofia, Bulgaria | |
| CSIT IV.6 | Realization of Train Rescheduling Software System..... | 535 |
| | S. Mladenović and S. Vesković | |
| | University of Belgrade, Serbia | |
| CSIT IV.7 | Throughput Analysis of EDCA in Multimedia Environment..... | 539 |
| | B. Ilievski, P. Latkoski and B. Popovski | |
| | University of Skopje, Macedonia | |
| CSIT IV.8 | Software Tools and Technologies in Steganography | 543 |
| | J. Mirčevski, B. Djokić, M. Srećković* | |
| | and N. Popović** | |
| | Informatička škola "Educon", Beograd, Serbia | |
| | *Elektrotehnički fakultet, Beograd, Serbia | |
| | **Ministarstvo Inostranih Poslova, Beograd, Serbia | |

CONTROL SYSTEMS & ROBOTICS

| | | |
|-------------------|--|------------|
| CS&R.1 | Cascade Synchronization of Chaotic Systems on the Basis of Linear-Nonlinear Decomposition..... | 549 |
| | D. P. Chantov | |
| | Technical University of Gabrovo, Bulgaria | |
| CS&R.2 | Sensorless Vector Control of Induction Motors..... | 553 |
| | E. Y. Marinov, K. D. Lutskanov and Z. S. Zhekov | |
| | Technical University of Varna, Bulgaria | |
| CS&R.3 | Genetic Algorithms applied in Parameter Optimization of Cascade Connected Systems..... | 557 |
| | B. Danković, D. Antić, Z. Jovanović | |
| | and M. Milojković | |
| | University of Niš, Serbia | |
| CS&R.4 | Building 3D Environment Models for Mobile Robots Using Time-Of-Flight (TOF) Laser Scanner | 561 |
| | S. Koceski and N. Koceska | |
| | University of L'Aquila, Italy | |
| CS&R.5 | High-Performance Velocity Servo-System Design Using Active Disturbance Estimator | 565 |
| | B. Veselić and Č. Milosavljević* | |
| | University of Niš, Serbia | |
| | *Electrical Engineering Faculty, Istočno Sarajevo, Bosnia and Herzegovina | |
| CS&R.6 | Optimal Control Using Neural Networks..... | 569 |
| | D. Toshkova and P. Petrov | |
| | Technical University of Varna, Bulgaria | |

| | | |
|-------------------|--|------------|
| CS&R.7 | Some Discretizing Problems in Control Theory..... | 573 |
| | M. B. Naumović University of Niš, Serbia | |

POWER TRANSMISSION AND DISTRIBUTION SYSTEMS I573

| | | |
|-----------------|--|------------|
| PTDS I.1 | An Algorithm for Coupled Electric and Thermal Fields in Insulation of the Large Power Cables | 579 |
| | I. T. Cârstea and D. P. Cârstea* Faculty of Automatics, Computers and Electronics. Craiova, Romania *Industrial Group of Romanian Railways | |
| PTDS I.2 | Control of the Electrical Field in the Connectors for High-Voltage Cables | 583 |
| | I. T. Cârstea and D. P. Cârstea* Faculty of Automatics, Computers and Electronics. Craiova, Romania *Industrial Group of Romanian Railways | |
| PTDS I.3 | Untransposed HV Transmission Line Influence on the Degree of Unbalance in Power Systems..... | 587 |
| | Lj. D. Trpezanovski and M. B. Atanasovski University of Bitola, Macedonia | |
| PTDS I.4 | Calculation of GIS 110 kV Insulating Bushing Applying Hybrid BEM-FEM Method | 591 |
| | H. Zildžo and H. Matoruga Electrical Engineering Faculty, Sarajevo, Bosna i Hercegovina | |
| PTDS I.5 | Estimation of the Air Power Line Parameters Under the Influence of Lightning Overvoltages | 595 |
| | M. G. Todorova and M. P. Vasileva Technical University of Varna, Bulgaria | |
| PTDS I.6 | Calculation Model and Analyses of Grounding of the Fence on Medium Voltage Stations..... | 599 |
| | N. Acevski and M. Spirovski University of Bitola, Macedonia | |

EDUCATION QUALITY I

| | | |
|---------------|---|------------|
| EQ I.1 | Meaning Making Through e-Learning | 605 |
| | B. Gradinarova and Y. Gorvits* Technical University of Varna, Bulgaria *ORACLE 15, Moscow, Russia | |
| EQ I.2 | Software Engineering e-learning Mathematical Software | 609 |
| | B. Fetaji, S. Osmani* and M. Fetaji Faculty of Communication Sciences and Technologies, Tetovo, Macedonia *IT center-SEEU, Tetovo, Macedonia | |
| EQ I.3 | Combining Virtual Learning Environment and Integrated Development Environment to Enhance e-learning..... | 613 |
| | M. Fetaji, S. Loskovska* and B. Fetaji Faculty of Communication Sciences and Technologies, Tetovo, Macedonia *University of Skopje, Macedonia | |
| EQ I.4 | Software Engineering e-learning Information Retrieval Courseware | 617 |
| | B. Fetaji and M. Fetaji Faculty of Communication Sciences and Technologies, Tetovo, Macedonia | |
| EQ I.5 | The Problems in Distant – Learning..... | 621 |
| | V. Aleksieva Technical University of Varna, Bulgaria | |
| EQ I.6 | The Roles of Colours in the Multimedia Presentation Building | 623 |
| | P. Spalevic, B. Milošević*, K. Kuk** and G. Dimić** Faculty of Technical Sciences, Kosovska Mitrovica, Serbia * University of Niš, Serbia ** <i>High School of Electrical Engineering</i> , Belgrade, Serbia | |

ELECTRONIC COMPONENTS, SYSTEMS AND TECHNOLOGIES I

| | | |
|-----------------|---|------------|
| ECST I.1 | Synthesis of DCS in Copper Metallurgy..... | 629 |
| | D. R. Milivojević, V. Tasić, M. Pavlov and V. Despotović Copper Institute, Bor, Serbia | |

| | | |
|-----------------|---|------------|
| ECST I.2 | Removal of Power-line Interference from ECG in Case of Non-multiple Even Sampling | 633 |
| | G. S. Mihov and I. A. Dotsinsky* Technical University of Sofia, Bulgaria *Bulgarian Academy of Sciences | |
| ECST I.3 | Synthesizing Sine Wave Signals Based on Direct Digital Synthesis Using Field Programmable Gate Arrays..... | 637 |
| | H. Z. Karailiev and V. V. Rankovska Technical University of Gabrovo, Bulgaria | |
| ECST I.4 | Negative Impedance Converter Improves Capacitance Converter | 641 |
| | V. D. Draganov, Z. D. Stanchev and I. T. Tanchev Technical University of Varna, Bulgaria | |
| ECST I.5 | Fuel Cells and Fuel Cell Power Supply Systems – an Overview | 645 |
| | Z. S. Mladenovski*, G. L. Arsov and J. Kosev *COSMOFON – A.D. Skopje, Macedonia University of Skopje, Macedonia | |
| ECST I.6 | Developing and Using Communication Driver for Serial Communication Between PCs and Industrial PLCs | 649 |
| | Z. M. Milić, P. B. Nikolić, D. Krstić* and M. Lj. Sokolović* Tigar MH, Pirot, Serbia *University of Niš, Serbia | |
| ECST I.7 | Spice Model of Magnetic Sensitive MOSFET | 653 |
| | N. Janković, T. Pesić and D. Pantić University of Niš, Serbia | |
| ECST I.8 | Reduced Data Sample Transmission – Implementation to PIC Microcontroller..... | 657 |
| | M. I. Petkovski and C. D. Mitrovski University of Bitola, Macedonia | |

POWER TRANSMISSION AND DISTRIBUTION SYSTEMS II & ELECTRICAL MACHINES

| | | |
|----------------------|---|------------|
| PTDS&EM.1 | Fast High Voltage Signals Generator for Low Emittance Electron Gun..... | 663 |
| | M. Paraliev Paul Scherrer Institut, Villigen, Switzerland | |
| PTDS&EM.2 | Effect of Perforation in High Power Bolted Busbar Connections | 667 |
| | R. T. Tzeneva and P. D. Dineff Technical University of Sofia, Bulgaria | |
| PTDS&EM.3 | The Influence of the Supply Voltage Unbalance on the Squirrel Cage Induction Motor Operation..... | 671 |
| | G. I. Ganev and G. T. Todorov Technical University of Sofia, Bulgaria | |
| PTDS&EM.4 | Monitoring of the Electric Energy Quality in the Electricity Supply | 675 |
| | Tz. B. Tzanev, S. G. Tzvetkova and V. G. Kolev Technical University of Sofia, Bulgaria | |
| PTDS&EM.5 | Algorithm for Efficiency Optimization of the Induction Motor Based on Loss Model and Torque Reserve Control | 679 |
| | B. Blanuša, P. Matić, Ž. Ivanović and S. N. Vukosavić* Faculty of Electrical Engineering, Banja Luka, Bosnia and Herzegovina *Faculty of Electrical Engineering, Beograd, Serbia | |
| PTDS&EM.6 | Computation of Electromagnetic Forces and Torques on Overline Magnetic Separator | 683 |
| | M. I. Popnikolova Radevska and B. S. Arapinoski University of Bitola, Macedonia | |

EDUCATION QUALITY II

| | | |
|----------------|---|------------|
| EQ II.1 | Studying on Frequency Modulation in MATLAB Environment..... | 689 |
| | V. M. Georgieva Technical University of Sofia, Bulgaria | |
| EQ II.2 | An Approach of Application Development for the Virtual Laboratory Access | 691 |
| | J. Djordjević-Kozarov, M. Jović* and D. Janković University of Niš, Serbia *University of Lugano, Switzerland | |
| EQ II.3 | The Use of Virtual Reality Environments for Training Purposes in Care Settings | 693 |
| | E. Maier, M. Donschewa and G. Kempter UCT- Research, FHV, Dornbirn, Austria | |

| | | |
|----------------|---|------------|
| EQ II.4 | How to Give a Good Scientific Presentation..... | 697 |
| | S. S. Cvetković and S. V. Nikolić University of Niš, Serbia | |
| EQ II.5 | Reevaluation and Replacement of Terms in the Sampling Theory | 701 |
| | P. Tz. Petrov Microengineering, Sofia, Bulgaria | |
| EQ II.6 | SWOT Analysis of Method for Automatic Vectorization of Digital Photos Into 3D Model..... | 705 |
| | Z. G. Kotevski and I. I. Nedelkovski University of Bitola, Macedonia | |

ELECTRONIC COMPONENTS, SYSTEMS AND TECHNOLOGIES II

| | | |
|------------------|---|------------|
| ECST II.1 | Monitoring System of Pulsation Processes in a Milking Machine..... | 711 |
| | A. T. Aleksandrov and N. D. Draganov Technical University of Gabrovo, Bulgaria | |
| ECST II.2 | A Method for Improvement Stability of a CMOS Voltage Controlled Ring Oscillators..... | 715 |
| | G. Jovanović and M. Stojčev University of Niš, Serbia | |
| ECST II.3 | Load Characteristics under Optimal Trajectory Control of Series Resonant DC/DC Converters Operating above Resonant Frequency..... | 719 |
| | N. D. Bankov and Ts. Gr. Grigorova* University of Food Technologies, Plovdiv, Bulgaria *Technical University of Sofia, Branch Plovdiv, Bulgaria | |
| ECST II.4 | Modeling of the Optimal Trajectory Control System of Resonant DC/DC Converters Operating Above Resonant Frequency..... | 723 |
| | N. D. Bankov and Ts. Gr. Grigorova* University of Food Technologies, Plovdiv, Bulgaria *Technical University of Sofia, Branch Plovdiv, Bulgaria | |
| ECST II.5 | Comparison of Temperature Dependent Noise Models of Microwave FETs | 727 |
| | Z. D. Marinković, V. V. Marković and O. R. Pronić University of Niš, Serbia | |
| ECST II.6 | Power Losses and Applications of Nanocrystalline Magnetic Materials..... | 731 |
| | V. C. Valchev, G. T. Nikolov, A. Van den Bossche* and D. D. Yudov** Technical University of Varna, Bulgaria *EELAB EESA Firw08 UGENT, Belgium **Bourgas Free University, Bourgas, Bulgaria | |
| ECST II.7 | Multi level Electronic Transformer | 735 |
| | D. D. Yudov, A. Iv. Dimitrov, V. C. Valchev* and D. M. Kovatchev* Bourgas Free University, Bourgas, Bulgaria *Technical University of Varna, Bulgaria | |
| ECST II.8 | An Approach to Effectiveness Increasing of SPICE Macromodels..... | 739 |
| | E. D. Gadjeva, B. I. Mihova and V. G. Manchev Technical University of Sofia, Bulgaria | |

POSTER SESSIONS

PO I - SIGNAL PROCESSING

| | | |
|---------------|--|------------|
| PO I.1 | Image Filtering and Scaling Algorithms..... | 745 |
| | S. G. Mihov and G. S. Zapryanov Technical University of Sofia, Bulgaria | |
| PO I.2 | System for Spectral Investigation of Signals | 749 |
| | S. V. Kolev, I. V. Ivanova and Y. S. Velchev Technical University of Sofia, Bulgaria | |
| PO I.3 | Design and Implementation of First Order Sigma-Delta Modulator | 751 |
| | S. D. Terzieva, G. T. Tsenov, P. I. Yakimov and V. M. Mladenov Technical University of Sofia, Bulgaria | |
| PO I.4 | Recovering Optical Image Transferred Through Atmospheric Turbulence..... | 755 |
| | K. L. Dimitrov Technical University of Sofia, Bulgaria | |

| | | |
|---------------|---|------------|
| PO I.5 | CATV systems - Volterra Kernels Identification | 757 |
| | O. B. Panagiev and K. L. Dimitrov Technical University of Sofia, Bulgaria | |
| PO I.6 | Comments on the Method “Over Sampling and Averaging for Additional Bits of Resolution” | 761 |
| | P. Tzv. Petrov Micro Engineering-Sofia, Bulgaria | |

PO II - ELECTRONIC COMPONENTS, SYSTEMS AND TECHNOLOGIES

| | | |
|----------------|--|------------|
| PO II.1 | PSPICE Simulation of Optoelectronic Pulse Circuits | 767 |
| | E. N. Koleva and I. S. Kolev Technical University of Gabrovo, Bulgaria | |
| PO II.2 | Temperature Profile of the Impulse Discharge | 769 |
| | I. P. Iliev and S. G. Gocheva-Ilieva* Technical University of Sofia, Bulgaria, Branch Plovdiv *University of Plovdiv, Bulgaria | |
| PO II.3 | Simulation Investigation of Frequency Sensitive Digital Phase Detectors | 773 |
| | A. H. Yordanov and G. S. Mihov Technical University of Sofia, Bulgaria | |
| PO II.4 | Voltage-Scaling D/A Converters – Analysis and Practical Design Considerations | 777 |
| | D. P. Dimitrov Melexis-Bulgaria Ltd, Sofia, Bulgaria | |
| PO II.5 | Mechanical Properties of Thin Electrical Films | 781 |
| | S. Letskovska and P. Rahnev Burgas Free University, Burgas, Bulgaria | |
| PO II.6 | An Improved IGBT Behavioral PSpice Macromodel | 785 |
| | Ts. Gr. Grigorova and K. K. Asparuhova Technical University of Sofia, Bulgaria | |
| PO II.7 | A Stochastic Model of Gamma-Ray Irradiation Effects on Threshold Voltage of MOS Transistors | 789 |
| | M. T. Odalović and D. M. Petković Faculty of Science and Mathematics, Kosovska Mitrovica, Serbia | |
| PO II.8 | Some Geometrical Considerations Connected with the Planetary Movement of the Substrate During Sputtering | 793 |
| | S. Pavlov and D. Parashkevov Assen Zlatarov University, Bourgas, Bulgaria | |
| PO II.9 | Program Calculation of Thin Film Thickness in Case of Parallel Arranged Target – Substrate | 797 |
| | D. D. Parashkevov Assen Zlatarov University, Bourgas, Bulgaria | |

PO III - ELECTRONIC COMPONENTS, SYSTEMS AND TECHNOLOGIES & INDUSTRIAL ELECTRONICS

| | | |
|-----------------|--|------------|
| PO III.1 | Automatic Quality Classifiers of Food Products – Rate of the Speed Problems | 803 |
| | A. S. Georgiev, L. F. Kostadinova and R. N. Gabrova University of Food Technologies, Plovdiv, Bulgaria | |
| PO III.2 | Computer-Aided Engineering with the help of OrCAD | 807 |
| | D. M. Kovatchev, E. Dimitrova and V. C. Valchev Technical University of Varna, Bulgaria | |
| PO III.3 | Magnetron Dielectric Barrier Air Discharge at Low Frequency | 811 |
| | P. D. Dineff and D. N. Gospodinova Technical University of Sofia, Bulgaria | |
| PO III.4 | Application of the CFD Method for Heat Transfer Simulation | 815 |
| | A. V. Andonova and N. M. Kafadarova Technical University of Sofia, Bulgaria | |
| PO III.5 | Laser Modeling In Q-switch Regime | 819 |
| | I. Veselinovic, M. Sreckovic and B. Veselinovic* University of Belgrade, Serbia *Vinča Institute of Nuclear Sciences, Belgrade | |
| PO III.6 | Modeling of Quantum Generators and Amplifiers on Semiconductor Materials | 823 |
| | B. Veselinović, M. Srećković*, I. Veselinović* and M. Vlajnić** Vinča Institute of Nuclear Sciences, Belgrade, Serbia * University of Belgrade, Serbia **YUBC System A.D., Belgrade, Serbia | |

| | | |
|-----------------|---|------------|
| PO III.7 | Analysis of Electrical and Thermal Characteristics of Thermal Cutoffs..... | 827 |
| | A. Prijić, Z. Prijić, B. Pešić, D. Pantić and S. Ristić University of Niš, Serbia | |
| PO III.8 | Macromodel for CMOS Analogue Switches Temperature Effects Sensing..... | 831 |
| | I. M. Pandiev Technical University of Sofia, Bulgaria | |
| PO III.9 | Microstructure and Optical Properties of ITO Thin Films Investigated for Heat Mirrors in Solar Collectors..... | 835 |
| | G. H. Dobrikov, M. M. Rassoovska, S. I. Boiadjiev, K. A. Gesheva*, P. S. Sharlandjiev** and A. Koserkova** Technical University of Sofia, Bulgaria *Bulgarian Academy of Sciences ** Acad. G. Bonchev, Sofia, Bulgaria | |

PO IV - COMPUTER SYSTEMS AND INTERNET TECHNOLOGIES

| | | |
|----------------|---|------------|
| PO IV.1 | Automatic Weight Estimation Method for Multiple SVMs in Software Sensors Systems | 841 |
| | P. Ts. Andreeva and S. I. Vassileva Bulgarian Academy of Sciences, Sofia, Bulgaria | |
| PO IV.2 | Improving Fairness for Pedestrian Users of CDMA-HDR Networks | 845 |
| | V. P. Hristov South West University, Blagoevgrad, Bulgaria | |
| PO IV.3 | Web Application of Traveling Salesman Problem using Genetic Algorithms..... | 849 |
| | M. N. Karova, J. P. Petkova and S. P. Penev Technical University of Varna, Bulgaria | |
| PO IV.4 | A Performance Study of Run-time Systems for Distributed Time Warp Simulation..... | 853 |
| | H. G. Valchanov, N. S. Ruskova and T. I. Ruskov Technical University of Varna, Bulgaria | |
| PO IV.5 | Genetic Algorithms in Solving Multiobjective Optimization Problems | 857 |
| | H. I. Toshev and Ch. D. Korsemov Bulgarian Academy of Sciences, Sofia, Bulgaria | |
| PO IV.6 | Applying Tabu - Search Heuristic for Software Clustering Problem | 861 |
| | V. T. Bozhikova and M. Ts. Stoeva Technical University of Varna, Bulgaria | |
| PO IV.7 | A New Approach to Symbol Description of the Spatial Location of Extended Objects in Spatial Databases..... | 865 |
| | M. Stoeva and V. Bozhikova Technical University of Varna, Bulgaria | |
| PO IV.8 | A Web-based Course for Development, Implementation and Administration of a Secure Portal within OracleAS Portal 10g..... | 869 |
| | V. R. Antonova and P. T. Antonov Technical University of Varna, Bulgaria | |
| PO IV.9 | Models of e-business in Transportation..... | 873 |
| | D. D. Marković, B. V. Stanivuković and M. J. Dobrodolac University of Belgrade, Serbia | |

PO V - CONTROL SYSTEMS & ROBOTICS

| | | |
|---------------|---|------------|
| PO V.1 | Application of Kalman Filtering Technique to Increase the Probability of Faults Detection in Test Equipment..... | 879 |
| | A. D. Tanev and A. Vl. Andonov Higher school of Transport, Sofia, Bulgaria | |
| PO V.2 | Situational Control of RADAR..... | 883 |
| | I. E. Korobko Technical University of Sofia, Bulgaria | |
| PO V.3 | Control Systems with Frequency Converters save Energy in Food Industry..... | 887 |
| | L. F. Kostadinova, R. N. Gabrova and A. S. Georgiev University of Food Technologies, Plovdiv, Bulgaria | |
| PO V.4 | Multi-channel Wireless ECG System..... | 891 |
| | Y. S. Velchev Technical University of Sofia, Bulgaria | |
| PO V.5 | Heart Rate Measurement System..... | 895 |
| | Y. S. Velchev Technical University of Sofia, Bulgaria | |

| | | |
|---------------|---|------------|
| PO V.6 | Robust Estimators Based on the Two-Stage Method for Closed-Loop Identification | 897 |
| | N. R. Atanasov Technical University of Varna, Bulgaria | |
| PO V.7 | Scalable Modular Control Architecture For Walking Machines | 901 |
| | M. S. Milushev, N. V. Krantov and V. Zerbe* Technical University of Sofia, Bulgaria *Technical University Ilmenau, Germany | |
| PO V.8 | Evaluation of Fluidic Muscles for a Walking Machine Driver | 905 |
| | M. S. Milushev, D. I. Diakov, V. K. Georgieva and N. T. Pavlovic Technical University of Sofia, Bulgaria *University of Niš, Serbia | |

Magnetron Dielectric Barrier Air Discharge at Low Frequency

Peter D. Dineff¹ and Dilyana N. Gospodinova²

Abstract – Dielectric barrier discharges that burn at atmospheric pressure and industrial frequency (50/60 Hz) are a good technological alternative to the RF- and glow discharges at low pressure (vacuum). The present investigation offers a new approach aiming at the creation of a new magnetron dielectric barrier discharge plasma system, intended for plasma-chemical treatment of low energy surface porous materials.

Keywords – atmospheric-pressure glow discharge, dielectric barrier discharge, high-pressure low-frequency dielectric barrier discharge, plasma-chemical surface modification.

I. INTRODUCTION

There are more than ten thousand (10,000) granted United States Patents which are related to the generation and applications of ozone. More than one hundred of these patents have been granted to innovative techniques of ozone generation, [2].

Ozone production is predominantly achieved by one of the following three groups of methods: electrical discharge methods, electrochemical methods, and ultraviolet (UV) radiation methods.

Electrical discharge methods, which are the commercial methods of widest use, have relatively low efficiencies (2 ÷ 10 %) and consume large amounts of electricity. The other two groups of methods (electrochemical and UV) are less cost-effective.

Because ozone is very reactive, it is also unstable. It cannot therefore be stored and has to be produced where and when it is needed. Ozone is produced from oxygen-containing gases in ozone generators by means of a dielectric barrier discharge (silent electrical discharge). All industrial-scale ozone generators make use of this method, [1, 2, 6, 7].

The dielectric barrier discharge (DBD) is an important type of alternating current (AC) glow discharge, operating at atmospheric pressure and in a lower frequency range (50 ÷ 60 Hz), where both electrodes, or at least one of them, are typically covered by a dielectric barrier, [6, 7].

As a result of applying an AC voltage to an electrode system with one or both electrodes covered by dielectric layer, a DBD appears in the gas gap. Such non-thermal or cold discharges are suitable for a wide range of applications, e. g. ozone generation, surface treatment and modification of plastic foils, textiles and even metals, pollution control,

sterilisation, ultraviolet and vacuum ultraviolet light sources for laser pumping, AC plasma displays, and others, [2].

Basic designs of plasma-chemical reactors using DBDs are given in Fig. 1. While the DBD in Fig. 1a is determined mainly by discharge columns in the gas gap and surface discharges on the dielectric, the arrangement with extended surface electrodes, Fig. 1b, leads only to surface discharges along the dielectric surface. The packed bed reactor with dielectric pellets, Fig. 1c, includes both types of DBDs.




Fig. 1. Different types of DBDs arrangements: **a** - volume DBD plasma reactor, **b** - surface DBD plasma reactor and **c** - packed bed DBD plasma reactor.

HVE and EGE – high-voltage electrode and earth-grounding electrode; DB – dielectric barrier; DP – dielectric pellets.

In addition to applying an electric field (or difference of potentials) to a plasma reactor electrode system, a magnetic field can be also applied to a glow discharge. The most well-known discharge type with *crossed magnetic and electric fields* is the *magnetron discharge*. The electrons circulate in helices around magnetic field lines and give rise to more ionisation. Hence, magnetron discharges are typically operated at lower pressures and higher currents than conventional or normal and abnormal glow discharges, [1].

The theory of the *low-pressure magnetron glow discharge* was developed by R. Redhead, and the field of practical implementation is defined by the pressure; the discharge currents being 100 ÷ 200 mA/cm², [1].




Fig. 2. Co-axial types (tube in tube) of a magnetron DBD plasma reactor with crossed magnetic **B** and radial electric fields **E**. HVE and EGE – high-voltage electrode and earth-grounding electrode; DB – dielectric barrier; AG – air (discharge) gap.

¹Peter D. Dineff is from the Faculty of Electrical Engineering of Technical University of Sofia, 1756 Sofia, Bulgaria, e-mail: dineff_pd@abv.bg

²Dilyana N. Gospodinova is from the Faculty of Electrical Engineering of Technical University of Sofia, 1756 Sofia, Bulgaria, e-mail: dilianang@abv.bg

The great concentration of gas particles at high pressure that determines the small average length of free path and high frequency of collisions between gas particles, does not speak of successful application of the *magnetron effect* to *DBDs*, i. e. for an atmospheric pressure glow discharge. An argument to this statement is the absence of concrete investigations in this field, despite of the great interest regarding *DBD* plasma technologies, [2].




Fig. 3. *MDBD* plasma reactor with two co-axial discharge tube – graph of the magnetic flux density of an open magnetic system with four alternating permanent magnets poles arranged in line.

The TASK of the investigation presented consists in identifying the magnetron atmospheric pressure *DBD*, while observing the well-known definition of the magnetron effect with crossed magnetic and electrical fields.

The idea for realization of a *magnetron DBD (MDBD)* is demonstrated in Fig. 2: for the existing cylindrical symmetry of the electric field \mathbf{E} , the magnetic flux density \mathbf{B} should be directed along the electrode axis, i. e. Perpendicularly to the cross-section plane.

II. EXPERIMENTAL INVESTIGATIONS

Preliminary experimental investigations carried out on the selection of a source of permanent magnetic field and determination of the magnetic flux density \mathbf{B} , at which the magnetron effect exhibits itself, indicate that:

- the magnetron effect exhibits itself at relatively strong magnetic fields, i. e. at $B > 0.2$ T;
- the necessary geometry of the magnetic field can be structured by means of permanent magnets.
- it is not possible to create a permanent magnetic field ($B = \text{const}$) along the entire length of the discharge tube (of the plasma reactor).

For the purposes of the investigation, two types of devices having different structure of the permanent magnetic field have been created:

- *MDBD* reactor with an open magnetic system with alternating poles of the permanent magnets arranged unilaterally to the discharge tube in one or two layers, Figs. 3 and 4;

- *MDBD* reactor with an open magnetic system with alternating poles of the permanent magnets arranged to the discharge tube in one line, Fig. 5.




Fig. 4. *MDBD* plasma reactor with two co-axial discharge tube – graph of the magnetic flux density of an open magnetic system with four alternating poles of the permanent magnets arranged in two layers.

Technological magnetron *DBD* devices with permanent magnets represent a space structure consisting of anisotropic strontium permanent magnets Sf: 80 x 57 x 12 mm (*Magnit* Ltd., Permik, Bulgaria): $H_C \geq 224$ kA/m; $B_r = 0.37$ T; $(BH)_{\max} \geq 24$ kJ/m³; $\mu_r = 1.2$; $T_Q = 735$ K; $\rho_V = 10.6$ Ω m; $\delta = 4.5 \div 5.0$ g/cm³; $\delta l = (9 \div 15) 10^{-6}$; 55 HRC. They are suitable for making devices with an open magnetic system or with large air gaps.




Fig. 5. *MDBD* plasma reactor with two co-axial discharge tube – graph of the magnetic flux density of an open magnetic system with alternating poles of the permanent magnets arranged bilaterally to the discharge tube in one layer.

Two design structures of magnetron *DBD* plasma reactors examined experimentally are shown schematically on the picture of the magnetic field obtained by means of fine ferromagnetic powder, Figs. 3, 4, and 5.

Figs. 3 and 4 show the same structure of an *MDBD* ozone generator – A55 and A75, their only difference being in the

double volume of the four pole groups, which increases the maximum value of magnetic flux density \mathbf{B} measured at designated points, namely A , B , C , and D . Measuring is carried out with a specialized instrument featuring an accuracy class of 0.5. In the first case, Fig. 3, the measured magnetic flux density is 55 mT, while doubling the magnetic mass of pole groups, Fig. 4, increases this value to 75 mT (i. e. by 36 %).

In the second examined structure of an *MDBD* ozone generator – B16, the arrangement of magnetic poles is realized in accordance with the so called quadrupled scheme that defines a maximally long sector with crossed magnetic and electric fields along the device’s central axis, Fig. 5. However, the value of the maximum magnetic flux density \mathbf{B} is lower, namely 16 mT.

Along the device there are periodically alternating areas, where the magnetic and electric fields cross each other.

The dielectric barrier is a quartz tube with internal diameter \varnothing 8 mm. A resistive wire of FeCrAl ($\rho = 1.35 \times 10^{-6} \Omega\text{m}$) having diameter \varnothing 0.20 mm is stretched along its axis. The second electrode is placed from outside by winding on the tube.

The elementary processes (impact dissociation, impact ionization, secondary electron emission from the cathode, chemical reactions) that are effected in the discharge gap play a different role as regards ozone generation: on one hand, O_2^* , O_2^+ , O_2^- , and O_2 help generating ozone, and on the other hand, N , N^* , NO_2 , and NO support its inhibition. In general, it is possible to form two modes of *DBD* burning: a mode of generating ozone and products of its decay, and a mode of generating nitrogen oxides NO_x , Fig. 6.




Fig. 6. Schematic presentation of the primary processes of impact electron ionization (e^-) and of the chemical transformations that on one hand generate ozone, and on the other hand inhibit it.

The external (volt-ampere) characteristic of *DBD*, presenting the relationship between the average value of discharge current I_{av} and the effective value of the voltage applied across the discharge gap U_{eff} , reflects the existence of two characteristic modes of *DBD* burning, Fig. 7, [3, 4, 5].




Fig. 7. Electric circuit of the experimental *MDBD* plasma generator (PG) (a) and volt-ampere characteristic (b).

AT – transformer for voltage regulation; *HVT* – step-up transformer; *D1*, *D2*, *D3* and *D4* – diodes allowing direct measurement of the average value of discharge current I_{av} .

III. RESULTS AND DISCUSSIONS

Experimentally plotted external characteristics of both discharges, *DBD* and *MDBD*, are shown in Figs. 8, 9 and 10 for each investigated structure of ozone generators.




Fig. 8. Volt-ampere characteristics of *DB-* and *MDB-*discharges of the plasma generator A55.

Characteristics and a part of the critical parameters of the examined design structures of ozone generators A55, A75, and B16 are determined numerically and given in Table 1.

IV. CONCLUSION

Comparing the two realizations of the first design structure, A55 and A75, creates the impression of clearly expressed shifting of the volt-ampere characteristic to the left, i. e. to higher currents; the larger shifting being observed for the stronger magnetic field, and this being valid for both operating areas, Table 1.




Fig. 9. Volt-ampere characteristics of DB- and MDB-discharges of the plasma generator A75.




Fig. 9. Volt-ampere characteristics of DB- and MDB-discharges of the plasma generator B16.

TABLE I

| Design Structure Type | DBD | MDBD A75 | MDBD A55 | MDBD B16 |
|--------------------------------------|-------|----------|----------|----------|
| Correlation coefficient $r_{2,-}$ | 0.999 | 0.9986 | 0.9971 | 0.982 |
| Correlation coefficient $r_{3,-}$ | 0.999 | 0.9962 | 0.9974 | 0.982 |
| Critical voltage U_{cr1} , kV | 2.237 | 6.269 | 4.2963 | 5.416 |
| Critical current I_{cr1} , μ A | 185.8 | 255.6 | 368.6 | 235.4 |
| Burning Voltage U_b , kV | 0.69 | 3.34 | 4.37 | 1.64 |
| Slope B_2 , μ A/kV | 84.3 | 41.6 | 87.0 | 4.7 |
| Slope B_3 , μ A/kV | 120.0 | 134.5 | 138.9 | 113.6 |
| Intercept A_2 , μ A | -2.8 | -5.5 | -5.2 | 14.8 |
| Intercept A_3 , μ A | -82.7 | -587.6 | -228.2 | -379.6 |

The intensity of the permanent magnetic field exerts substantial influence on *MDBD* characteristics.

Based on the experimental investigations performed on various design structures of *MDBD* ozone generators, it is possible to derive the following main conclusions:

- the magnetron effect can be used in creating *MDBD* plasma technological systems;
- the impact of the magnetron effect is expressed by totally shifting the characteristic the left, while the critical ignition voltage of the discharge increases significantly, which also defines the high critical ignition current;
- using permanent magnets in the creation of *MDBD* plasma technological systems turns out to be a good solution that allows designing compact and efficient generators of ozone and cold plasma at atmospheric pressure;
- the developed magnetic system of the A type (A55 and A75) can be used not only in the considered case of volume *DBD* plasma reactor; it can also find an equally good application in the creation of surface *MDBD* plasma reactors;
- the combination of a magnetic system and two electrode systems can be considered a design module that is in position to produce complex *MDBD* plasma generators by repetition.

ACKNOWLEDGEMENT

The National Science Fund, Ministry of Education and Science of Bulgaria, is gratefully acknowledged for the financial support of research project VU-TN-205/2006.

REFERENCES

- [1] P. Dineff. Electrotechnology. *Introduction to Electrotechnology*. Technical University, Sofia, Bulgaria, 2000 (in Bulgarian).
- [2] G. Pietsch and V. Gibalov. Dielectric Barrier Discharges and Ozone Synthesis. *Pure & Applied Chemistry*, Vol. 70, No. 6, 1998, pp. 1169-1174.
- [3] P. Dineff and D. Gospodinova. Electric Characteristics of Barrier Discharge. XXXVI International Scientific Conference on Information, Communication and Energy Systems and Technologies "ICEST '2003". Sofia, Bulgaria, October 16-18, 2003. Proceedings, Heron Press. Ltd., 2003, pp. 442-445.
- [4] P. Dineff and D. Gospodinova. Electrical Characteristics of the No-load Regime of Electrical Barrier Discharge. 6th International Conference on Applied Electromagnetics "PES' 2003", June 1-3, 2003, Niš, Serbia and Montenegro. Proceedings, 2003, pp. 442-444.
- [5] P. Dineff and D. Gospodinova. Electrical Characteristics of Barrier Electrical Discharge. 38. International Scientific Conference on Information, Communication and Energy Systems and Technologies "ICEST 2003", October 16-19, 2003, Sofia, Bulgaria. Proceedings, 2003, pp. 442-445.
- [6] Kitayama, J. and M. Kuzumoto. Analysis of Ozone Generation from Air in Silent Discharge. *J. Phys. D: Appl. Phys.*, Vol. 32, 1999, pp. 3032.
- [7] Yagi, S. and M. Tanaka. Mechanism of Ozone Generation in Air-Fed Ozonisers. *J. Phys. D: Appl. Phys.*, Vol. 12, 1979, pp. 1509.

This page intentionally left blank.

AUTHOR INDEX

- A**
Acevski, N., 599,
Aćimović-R.V., 27, 177, 245,
Acović, M., 471,
Aleksandrov, A., 711,
Aleksić, S., 227,
Aleksieva, V., 621,
Altimirski, E., 329,
Anastasov, J., 189,
Andonov, A., 879,
Andonova, A., 815,
Andreeva, P., 841,
Angelov, K. N., 329,
Angelov, K., 287, 421, 425,
Angelovski, I., 445,
Antić, D., 557,
Antolović, I., 403,
Antonov, P., 43, 869,
Antonova, V., 43, 869,
Antovski, Lj., 155,
Arapinoski, B., 683,
Arnaudov, R., 333,
Arsov, G., 645,
Arsov, Lj., 121,
Asparuhova, K., 785,
Atamian, D., 303,
Atanasković, A., 231, 391,
Atanasov, I., 241, 387,
Atanasov, N., 897,
Atanasovski, M., 587,
Attea, G., 61,
- B**
Babić, Z., 403,
Baev, S., 83,
Balabanova, I., 111,
Bankov, N., 719, 723,
Bedzhev, B., 51,
Bekiariski, A., 355,
Bellanger, M., 39,
Bilkiewicz, J., 467,
Blagojević, D., 295,
Blanuša, B., 679,
Bogdanov, M., 511,
Bogdanova, S., 381,
Boiadžiev, S., 835,
Bonev, B., 203,
Borovska, P., 395, 399,
Boumbarov, O., 521,
Bozhikova, V., 861, 865,
Bungurova-Kaziovska, Z., 173,
- C**
Cârstea I., 579, 583,
Cârstea, D., 579, 583,
Chantov, D., 549,
Cundeva-Blajer, M., 121,
Curcievska, D., 151,
Cvetković, N., 91,
Cvetković, S., 503, 697,
- D**
Damyarov, D., 495,
Danković, B., 557,
Despotović, V., 629,
Diakov, D., 905,
Dimcev, V., 125, 103,
Dimić, G., 623,
Dimitrijević, A., 261,
Dimitrijević, B., 97, 441,
Dimitrijević, T., 219,
Dimitrov, A., 735,
Dimitrov, D. P., 777,
Dimitrov, D. Tz., 455, 459,
Dimitrov, K., 755, 757,
Dimitrov, V., 411,
Dimitrova, E., 807,
Dimitrova, V., 481,
Dineff, P., 667, 811,
Dizdarević, F., 185,
Djokić, B., 543,
Djordjević, N., 527,
Djordjević-Kajan, S., 403,
Djordjević, G., 135,
Djordjević-Kozarov, J., 691,
Dobrev, D., 279, 417,
Dobrikov, G., 835,
Dobrodolac, M., 873,
Dodov, N., 81, 215,
Dončov, N., 223, 391,
Dontschewa, M., 373, 377, 407, 693,
Dostanić, A., 471,
Dotsinsky, I., 633,
Drača, D., 275,
Draganov, I., 477,
Draganov, N., 711,
Draganov, V., 641,
- E**
Eferica, P., 403,
Efnusev, I., 165,
- F**
Fetaji, B., 609, 613, 617,
Fetaji, M., 609, 613, 617,
Filev, Ts., 517,
- G**
Gabrova, R., 803, 887,
Gadjeva, E., 739,
Gajda, J., 13,
Ganev, G., 671,
Gavrilovska, L., 445,
Gavrovski, C., 103,
Georgiev, A., 803, 887,
Georgiev, G., 437,
Georgieva, V. K., 905,
Georgieva, V. M., 689,
Gesheva, K., 835,
Gluhchev, G., 521,
Gmitrović, M., 309,
Gocheva-Ilieva, S., 769,
Gocić, M., 265,
- Golev, K., 303,
Goleva, M., 303,
Goleva, R., 303,
Gorvits, Y., 605,
Gospodinova, D., 811,
Gradinarova, B., 605,
Grigorova, Ts., 719, 723, 785,
Guliashki, V., 39, 249,
Gusev, M., 151, 155,**
- H**
Hristov, G., 181,
Hristov, V., 845,
Hussein, K., 61,
- I**
Idzkowski, A., 469,
Ilić, S., 227,
Iliev, B., 3,
Iliev, G., 47, 347,
Iliev, I. G., 199, 531,
Iliev, I. P., 769,
Iliev, M., 181,
Iliev, T., 31, 35,
Ilievski, B., 539,
Iontchev, E., 113,
Ivanova, I., 749,
Ivanova, K., 483,
Ivanović, Ž., 679,
- J**
Janevski, T., 165, 169, 173,
Janković, D., 691,
Janković, N., 653,
Joković, J., 219,
Jordanova, L., 279, 417, 429,
Jovanović, G., 715,
Jovanović, Z., 557,
Jović, M., 691,
- K**
Kafadarova, N., 815,
Kapacinović, N., 185,
Karailiev, H., 637,
Karakehayov, Z., 131,
Karakehayova, L., 161,
Karapenev, B., 341,
Karatepe, E., 291,
Karova, M., 361, 849,
Kempter, G., 693,
Koceska, N., 561,
Koceski, S., 561,
Koitchchev, K., 287, 421, 425, 433,
Kokolanski, Z., 103,
Kolev, I., 767,
Kolev, S., 749,
Kolev, V., 675,
Koleva, E., 767,
Korobko, I., 883,
Korsemov, Ch., 857,
Kosanović, M., 143,
Koserkova, A., 835,
Kosev, J., 645,
- Kostadinova, L., 803, 887,
Kostić-Ljubisavljević, A., 177,
Kostov, M., 511,
Kostov, N., 23, 107,
Kotevski, Z., 705,
Kountchev, R., 351, 365, 369,
Kountcheva, R., 351, 365,
Kovatchev, D., 735, 807,
Krantov, N., 901,
Krasowski, A., 469,
Krasov, M., 215,
Krstić, D., 185, 649,
Kuk, K., 623,
Kunev, G., 487,
Künz, A., 407,**
- L**
Latzoski, P., 539,
Lazarova, M., 395,
Letskovska, S., 101, 781,
Levchev, Ch., 73, 77,
Loskovska, S., 613,
Lutskanov, K., 553,
- M**
Maier, E., 693,
Makal, J., 467, 469,
Males-Ilić, N., 231,
Manchev, V., 739,
Mančić, Ž., 227,
Manoilov, P. G., 399,
Manoilov, P. K., 451, 463,
Marinković, Z., 727,
Marinov, E., 553,
Marinova, G. I., 39,
Marinova, G. K., 23, 107,
Marković, D., 873,
Marković, G., 27,
Marković, V., 727,
Matić, P., 679,
Matoruga, H., 591,
Meijer, G., 3,
Mekić, E., 185,
Mezei, I., 359, 499,
Mihajlović, V., 261, 403,
Mihov, G. S., 633, 773,
Mihov, S. G., 745,
Mihova, B., 739,
Miletiev, R., 113, 333,
Milić, Z., 649,
Milijić, M., 235,
Milivojević, D., 629,
Milivojević, S., 507,
Milivojević, Z., 507,
Milojković, M., 557,
Milosavljević, A., 261,
Milosavljević, Č., 565,
Milošević, B., 623,
Milovanović, B., 219, 223, 231, 235, 391,
Milović, D., 275,
Milushev, M., 901, 905,
Mir, N., 283,
Mirčevski, J., 543,

Mirchev, V., 369,
Mironov, R., 369,
Mirtchev, S., 193,
Mitić, A., 295, 299,
Mitrevski, P., 151, 155,
Mitrovski, C., 511, 657,
Mladenov, V., 751,
Mladenović, S., 535,
Mladenovski, Z., 645,
Monov, Z., 161,
Mulalić, E., 503,
Musa, S., 211, 283,

N

Najdenkoski, K., 125,
Naumović, M., 573,
Nazarkiewicz, A., 467,
Nedelchev, I., 313,
Nedelchev, M., 199, 531,
Nedelkovski, I., 705,
Nemigenchev, I., 313, 341,
Nenkov, J., 429,
Nenov, C., 487,
Nikolić, P., 649,
Nikolić, S., 503, 697,
Nikolić, T., 135,
Nikolić, V., 169,
Nikolić, Z., 441,
Nikolov, G., 731,
Nikolov, T., 253, 269,
Nikolova, N., 81,
Nikolova, Z., 491,
Nikolova-Jahn, I., 117,

O

Odalović, M., 789,
Ognjanović, V., 265,
Osmani, S., 609,
Ovtcharov, M., 47,

P

Pachamanov, R., 139,
Palović, B., 189,
Panagiev, O., 321, 325, 757,
Panajotović, A., 275,
Pandiev, I., 831,
Pankov, I., 517,
Pankov, J., 517,
Pantić, D., 653, 827,
Paraliev, M., 663,

Parashkevov, D., 793, 797,
Pavlov, M., 629,
Pavlov, S., 793,
Pavlović, N., 905,
Pencheva, E., 387,
Penev, S., 849,
Pešić, B., 827,
Pesić, T., 653,
Petkov, P., 81,
Petkova, J., 361, 849,
Petković, D., 789,
Petkovski, M., 657,
Petrov, D., 55,
Petrov, P. Tz., 701, 761,
Petrov, P., 569,
Petrova, P., 55,
Peulić, A., 471,
Pleshkova-Bekiarska, S., 495,
Popnikolova R., M., 683,
Popova, A., 477,
Popović, H., 299,
Popović, N., 543,
Popovski, B., 539,
Poulkov, V., 47,
Predić, B., 403,
Prijić, A., 827,
Prijić, Z., 827,
Pronić, O., 727,

R

Radev, D., 31, 147,
Radojičić, V., 177,
Radonjić, V., 245,
Raev, R., 257,
Raeva, I., 257,
Rahnev, P., 101, 781,
Rajković, P., 507,
Rančić, D., 261, 403, 527,
Rančić, M., 337,
Rančić, P., 91, 337,
Randelović, M., 391,
Randić, S., 471,
Rankovska, V., 637,
Rashkova, E., 147,
Rassovska, M., 835,
Ristić, S., 827,
Ruskov, T., 853,
Ruskova, N., 853,

S

Sadiku, M., 211,
Sadinov, S., 287, 421, 433,
Sarevska, M., 235,
Savov, M., 521,
Savov, S., 69,
Shaalan, A., 61,
Sharlandjiev, P., 835,
Simić, M., 97,
Sirakov, E., 317,
Smarkov, V., 361,
Sokolović, M., 649,
Sokullu, R., 291,
Spalević, P., 623,
Spasić, J., 381, 441
Spirovski, M., 599,
Srbinska, M., 103,
Srećković, M., 543, 819, 823
Sroka, R., 13,
Stanchev, Z. D., 641,
Stanimir, V., 295,
Stanivuković, B. V., 873,
Stanković, Z., 235,
Stankovski, D., 147, 257,
Statev, S., 193,
Stefanov, M., 65,
Stefanova, I., 207,
Stefanović, D., 295, 299,
Stefanović, I., 299,
Stefanović, M., 185, 189, 275,
Stoeva, M., 861, 865,
Stoilkov, V., 125,
Stojčev, M., 135, 143, 715,
Stošić, B., 309,
Stoyanov, G., 483,
Stoyanov, N., 73, 77, 437,
Struharik, R., 359, 499,
Sturn, T., 373,

T

Tanchev, I., 641,
Tanev, A., 879,
Tashev, T., 51,
Tasheva, Z., 51,
Tasić, V., 629,
Taskovski, D., 381,
Temelkovski, I., 189,
Terzieva, S., 751,
Todorov, G., 671,
Todorov, V., 351, 365,

Todorova, M., 595,
Toshev, A., 87,
Toshev, H., 857,
Toshkova, D., 569,
Traikovski, G., 433,
Trpezanovski, Lj., 587,
Tsankov, B., 139,
Tsenov, A., 253,
Tsenov, G., 751,
Tzanov, Tz., 675,
Tzeneva, R., 667,
Tzvetkova, S., 675,

V

Valchanov, H., 853,
Valchev, V., 731, 735, 807,
Van den Bossche, A., 731,
Vrabanov, G., 487,
Varbanova, N., 425,
Vasileva, M., 595,
Vassileva, S., 841,
Vassileva, V., 69,
Velchev, Y., 749, 891, 895,
Veličković, V., 189,
Velikov, N., 23,
Veselić, B., 565,
Veselinović, B., 819, 823,
Veselinović, I., 819, 823,
Vesković, S., 535,
Vlajnić, M., 823,
Vukosavić, S., 679,

W

Weber, H., 407,

Y

Yakimov, P., 751,
Yordanov, A., 773,
Yordanova, S., 23, 107,
Yudov, D., 731, 735,

Z

Zaharieva-Stoyanova, E., 523,
Zapryanov, G., 745,
Zerbe, V., 901,
Zhekov, Z. S., 553,
Zildžo, H., 591,
Zu-yao Chang Xiujun Li, 3,